

Literature Cited

- Altschul, S.F., Gish, W., Miller, W., Myers, E.W. and Lipman, D.J. 1990. Basic local alignment search tool. **J. Mol. Biol.** 215: 403-410.
- Azzam, O., Frazer, J., de la Rosa, D., Beaver, J.S., Ahlquist, P., and Maxwell, D.P. 1994. Whitefly transmission and efficient ssDNA accumulation of bean golden mosaic geminivirus require functional coat protein. **Virology** 204: 289-296.
- Boyko, V., Ashby, J.A., Suslova, E., Ferralli, J., Sterthaus, O., Doem, C.M., and Heinlein, M.. 2002. Intramolecular complementing mutations in *Tobacco mosaic virus* movement protein confirm a role for microtubule association in viral RNA transport. **Journal of Virology** 76: 3974-3980.
- Boyle B. and Brisson N. 2001. Repression of the defense gene PR-10a by the single-stranded DNA binding protein SEBF. **The Plant Cell** 13: 2525-2537.
- Campos-Olivas, R., Louis, J.M., Clerot, D., Gronenborn, B., and Gronenborn A.M. 2002. The structure of a replication initiator unites diverse aspects of nucleic acid metabolism. **PNAS** 99: 10310-10315.
- Carrington, J.C., Kasschau, K.D., Mahajan, S.K., and Schaad M.C. 1996. Cell-to-cell and long distance transport of viruses in plants. **The Plant Cell** 8:1669-1681.
- Citovsky, V., Tsui, F., Ghoshroy, S., and Klessig, D. 1998. Non-toxic concentrations of Cadmium inhibit systemic movement of turnip vein clearing virus by a salicylic acid-independent mechanism. **The Plant Journal** 16: 13-20.
- De Jong, W. and Ahlquist, P. 1995. Host-specific alterations in viral RNA accumulation and infection spread in a brome mosaic virus isolate with an expanded host range. **Journal of Virology** 69: 1485-1492.
- De Jong, W., Chu, A., and Ahlquist, P. 1995. Coding changes in the 3a cell-to-cell movement gene can extend the host range of brome mosaic virus systemic infection. **Virology** 214: 464-474.
- Ding, B., Turgeon, R., and Parthasarathy, M.V. 1992. Substructure of freeze-substituted plasmodesmata. **Protoplasma** 169: 28-41.
- Ding B., Li, Q., Nguyen, L. Palukaitis, P. and Lucas, W.J. 1995. Cucumber mosaic virus 3a protein potentiates cell-to-cell trafficking of CMV RNA in tobacco plants. **Virology** 207: 345-353
- Fields, B.N., Knipe, D.M., and Howley, P.M. 1996. Third Edition: Fundamental Virology. Lippincott-Raven Publishers.

- Fields, S. and Sternglanz, R. 1994. The two-hybrid system: an assay for protein-protein interactions. **Trends Genet.** 10: 286-292.
- Finley, R.L. and Brent, R. 1994. Interaction mating reveals binary and ternary connections between *Drosophila* cell cycle regulators. **Proc. Natl. Acad. Sci. USA** 91: 12980-12984.
- Fontes, E.P.B., Gladfelter, H.J., Schaffer, R.L., Petty, I.T.D., and Hanley-Bowdoin, L. 1994. Geminivirus replication origins have a modular organization. **Plant Cell** 6: 405-416.
- Görlich, D. and Mattaj, I.W. 1996. Nucleocytoplasmic transport. **Science** 271: 1513-1518.
- Gyuris, J., Golemis, E., Cherkov, H., and Brent, R. 1993. Cdi1, a human G1 and S phase protein phosphatase that associates with Cdk2. **Cell** 75: 791-803.
- Jeffrey, J.L., Pooma, W., and Petty, I.T.D. 1996. Genetic requirements for local and systemic movement of tomato golden mosaic virus in infected plants. **Virology** 223: 208-218.
- Hake, S. 1992. Unravelling the knots in plant development. **Trends in Genet.** 8: 109-114.
- Hanley-Bowdoin, L., Elmer, J.S., and Rogers, S.G. 1990. Expression of functional replication protein from tomato golden mosaic virus in transgenic tobacco plants. **Proc. Natl. Acad. USA.** 87: 1446-1450.
- Iwabuchi, K., Li, B., Bartel, P. and Fields, S. 1993. Use of the two-hybrid system to identify the domain of p53 involved in oligomerization. **Oncogene** 8: 1693-1696.
- Kubo, A. and Kondo, N. 1991. Differences in the probability of cloning specific DNA between primary and amplified libraries: theoretical considerations. **Genet. Anal. Tech. Appl.** 8: 238-239.
- Laufs, J., Traut, W., Heyraud, F., Matzeit, V., Rogers, S., Schell, J., and Gronenborn B. 1995. In vitro cleavage and joining at the viral origin of replication by the replication initiator protein of tomato yellow leaf curl virus. **Proc. Natl. Acad. Sci. USA.** 92: 3879-3883.
- Lazarowitz, S.G. 1992. Geminiviruses: genome structure and gene function. **Crit. Rev. Plant Sci.** 11: 327-349.
- Lazarowitz, S.G., and Beachy, R.N. 1999. Viral movement proteins as probes for intracellular and intercellular trafficking in plants. **The Plant Cell** 11: 535-548.

- Lenz-Böhme, B., Wismar, J., Fuchs, S., Reifegerste, R., Buchner, E., Betz, H., and Schmitt, B. 1997. Insertional mutation of the *Drosophila* nuclear Lamin Dm0 gene results in defective nuclear envelopes, clustering of nuclear pore complexes, and accumulation of annulate lamellae. **J. Cell Biol** 137: 1001-16.
- Li, B. and Fields, S. 1993. Identification of mutations in p53 that affect its binding to SV40 T-antigen by using the yeast two-hybrid system. **FASEB J.** 7: 957-963.
- Lucas, W.J., Ding, B., and van der Schoot, C. 1993. Plasmodesmata and the supracellular nature of plants. **New Phytol.** 125: 435-476.
- Lucas, W.J., and Gilbertson, R.L. 1994. Plasmodesmata in relation to viral movement within leaf tissues. **Annu. Rev. Phytopathol.** 32: 387-411.
- Maule, A.J. 1991. Virus movement in infected plants. **Crit. Rev. Plant Sci.** 9: 457-473.
- Niessing, D., Driever, W., Sprenger, F., Taubert, H., Jackle, H., and Rivera-Pomar, R. 2000. Homeodomain position 54 specifies transcriptional versus translational control by Bicoid. **Molec. Cell** 5: 395-401
- Noeiry, A.O., Lucas, W.J., and Gilbertson, R.L. 1994. Two proteins of a plant DNA virus coordinate nuclear and plasmodesmal transport. **Cell** 76: 925-932.
- Oparka, K.J., Roberts, A.G., Boevink, P., Santa Cruz, S., Roberts, I., Pradel, K.S., Imlau, A., Kotlizky, G., Sauer N., and Epel, B. 1999. Simple, but not branched plasmodesmata allow the nonspecific trafficking of proteins in developing tobacco leaves. **Cell** 97: 743-754.
- Oparka, K.J., and Turgeon, R. 1999. Sieve elements and companion cells-traffic control centers of the phloem. **The Plant Cell** 11:739-750.
- Pascal, E., Goodlove, P.E., Wu, L.C., and Lazarowitz, S.G. 1993. Transgenic tobacco plants expressing the geminivirus BL1 protein exhibit symptoms of viral disease. **The Plant Cell** 5: 795-807.
- Pascal, E. Sanderfoot, A.A., Ward, B.M., Medville, R., Turgeon, R., and Lazarowitz, S.G. 1994. The geminivirus BR1 movement protein binds single-stranded DNA and localizes to the cell nucleus. **The Plant Cell** 6: 995-1006.
- Petty, I.T.D, Miller C.G., Meade-Hash, T.J., and Schaffer, R.L. 1995. Complementable and noncomplementable host adaptation defects in bipartite geminiviruses. **Virology** 212: 263-267.
- Pooma, W. 1997. Ph.D. thesis.

- Pooma, W., Gillette, W.K., and Petty, I.T.D. 1996. Host and viral factors determine the dispensability of coat protein for bipartite geminivirus systemic movement. **Virology** 218: 264-268.
- Qin, S., Ward, B.M., and Lazarowitz, S.G. 1998. The bipartite geminivirus coat protein aids BR1 function in viral movement by affecting the accumulation of viral single-stranded DNA. **Journal of Virology** 72: 9247-9256.
- Rojas, M.R., Jiang, H., Salati, R., Xoconostle-Cazares, B., Sudarshana, M.R., Lucas, W.J., and Gilbertson, R.L. 2001. Functional analysis of proteins involved in movement of the monopartite begomovirus tomato yellow leaf curl virus. **Virology** 291: 110-125.
- Rojas, M.R., Noueiry, A.O., Lucas, W.J., and Gilbertson, R.L. 1998. Bean dwarf mosaic geminivirus movement proteins recognize DNA in a form and size-specific manner. **Cell** 95: 105-113.
- Ryabov, E.V., Robinson, D.J., and Taliansky, M. 2001. Umbravirus-encoded proteins both stabilize heterologous viral RNA and mediate its systemic movement in some plant species. **Virology** 288: 391-400.
- Sanderfoot, A.A., and Lazarowitz, S.G. 1995. Cooperation in viral movement: The geminivirus BL1 movement protein interacts with BR1 and redirects it from the nucleus to the cell periphery. **The Plant Cell** 7: 1185-1194.
- Santa Cruz, S., Roberts, A.G., Prior, D.A.M., Chapman, S., and Oparika, K.J. 1998. Cell-to-cell phloem-mediated transport of potato virus X: the role of virions. **The Plant Cell** 10: 495-510.
- Schaad, M.C., and Carrington, J.C. 1996. Suppression of long-distance movement of tobacco etch virus in a nonsusceptible host. **Journal of Virology** 70: 2556-2561
- Schaffer, R.L., Miller, C.G., and Petty, I.T.D. 1995. Virus and host-specific adaptations in the BL1 and BR1 genes of bipartite geminiviruses. **Virology** 214: 330-338.
- Stryer, Lubert 1999. **Biochemistry 4th edition**. W.H. Freeman and Company New York.
- Sunter, G., Hartitz, M.D., Hormuzdi, S.G., Brough, C.L., and Bisaro, D.M. 1990. Genetic analysis of tomato golden mosaic virus: ORF AL2 is required for coat protein accumulation while ORF AL3 is necessary for efficient DNA replication. **Virology** 179: 69-77.
- Sunter, G. and Bisaro, D.M. 1992. Transactivation of geminivirus AR1 and BR1 gene expression by the viral AL2 gene product occurs at the level of transcription. **The Plant Cell** 4: 1321-1331.

- Waigmann, E., Lucas, W.J., Citovsky, V., and Zambryski, P. 1994. Direct functional assay for tobacco mosaic virus cell-to-cell movement protein and identification of a domain involved in increasing plasmodesmal permeability. **Proc. Natl. Acad. Sci. USA** 91:1433-1437.
- Wang, H., Wang, Y., Giesman-Cookmeyer, D., Lommel, S.A., and Lucas, W.J. 1998. Mutations in viral movement protein alter systemic infection and identify an intercellular barrier to entry into the phloem long-distance transport system. **Virology** 245: 75-89.
- Ward B.M., Medville R, Lazarowitz SG, and Turgeon R. 1997. The geminivirus BL1 movement protein is associated with endoplasmic reticulum-derived tubules in developing phloem cells. **J. Virol.** 71: 3726-3733.
- Wolf, S., Deom, C.M., Beachy, R., and Lucas, W.J. 1991. Plasmodesmatal function is probed using transgenic tobacco plants that express a virus movement protein. **Plant Cell** 3: 593-604.
- van Regenmortel, M.H.V., Fauquet, C.M., Bishop, D.H.L., Carstens, E.B., Estes, M.K., Lemmon, S.M., Maniloff, J., Mayo, M.A., McGeoch, D.J., Pringle, C.R., and Wickner, R.B. 2000. **Virus Taxonomy – Seventh Report of the International Committee on Taxonomy of Viruses, Academic Press.**
- Xoconostle-Cazares, B., Xiang, Y., Ruiz-Medrano, R., Wang, H., Yoo, B., McFarland, K.C., Franceschi, V.R., and Lucas, W.J. 1999. Plant paralog to viral movement protein that potentiates transport of mRNA into the phloem. **Science** 283: 94-98.