

LIS007166135B2

(12) United States Patent Smith et al.

(10) Patent No.: US 7,166,135 B2 (45) Date of Patent: Jan. 23, 2007

| (54) | PRODUCT AND METHOD FOR TREATING COTTON | | | |
|-------------------------------|---|---|--|--|
| (75) | Inventors: | Carl Brent Smith, Raleigh, NC (US); Mohamed Mahmoud Hashem, Raleigh, NC (US); Peter J. Hauser, Cary, NC (US) | | |
| (73) | Assignee: | North Carolina State University, Raleigh, NC (US) | | |
| (*) | Notice: | Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 191 days. | | |
| (21) | Appl. No.: 10/756,557 | | | |
| (22) | Filed: | Filed: Jan. 13, 2004 | | |
| (65) | Prior Publication Data | | | |
| | US 2004/0158935 A1 Aug. 19, 2004 | | | |
| Related U.S. Application Data | | | | |
| (60) | Provisional application No. 60/439,649, filed on Jan. 13, 2003. | | | |
| (51) | Int. Cl. D06M 11/07 (2006.01) D06M 13/322 (2006.01) D06M 23/00 (2006.01) | | | |
| (52) | | 8/115.51 ; 8/188; 8/116.1; 252/8.91 | | |
| (58) | | | | |
| (56) | References Cited | | | |
| | ILC DATENT DOCKE CATE | | | |

U.S. PATENT DOCUMENTS

3,673,110 A * 6/1972 Edwards 510/513

| 3,676,423 A * | 7/1972 | Elizer 536/43 |
|---------------|---------|---------------------------------|
| 4,067,689 A * | 1/1978 | Perrier et al 8/129 |
| 5,618,622 A * | 4/1997 | Gillberg-Laforce et al. 428/357 |
| 5,951,719 A * | 9/1999 | Cooper et al 8/442 |
| 6,336,943 B1* | 1/2002 | Login et al 8/195 |
| 6,969,443 B1* | 11/2005 | Kokko 162/5 |

OTHER PUBLICATIONS

Kim et al., "Synthesis of Quaternary Ammonium Derivative of Chitosan and Its Application to a Cotton Antimicrobial Finish" Textile Res. J 68 (6) (1998) pp. 428-434.*

International Search Report and Notification of Transmittal with Written Opinion dated Apr. 6, 2006.

* cited by examiner

Primary Examiner—Lorna M. Douyon Assistant Examiner—Tri Nguyen (74) Attorney, Agent, or Firm—Jenkins, Wilson, Taylor & Hunt, P.A.

(57) ABSTRACT

A process for producing an ionic crosslinked fibrous material, such as a cellulosic fabric, paper, or other substrate, wherein the ionic crosslinked fiber exhibits an increased wrinkle resistance angle. A process for producing a cationized chitosan, wherein the cationized chitosan exhibits cationization at the $\rm C_6$ and ring hydroxyl sites and the reactivity of the ring $\rm NH_2$ sites is preserved. A process for applying a polycation to an anionic fibrous material to form an ionic crosslinked fibrous material. A process for producing a cationized fibrous material, wherein the process is performed as a pad-batch process, an exhaust fixation process, a pad-steam process, or a pad-dry-cure process.

38 Claims, 7 Drawing Sheets