



US006943054B2

(12) **United States Patent**
Bocian et al.

(10) **Patent No.:** **US 6,943,054 B2**
(45) **Date of Patent:** **Sep. 13, 2005**

(54) **ATTACHMENT OF ORGANIC MOLECULES TO GROUP III, IV OR V SUBSTRATES**

(75) Inventors: **David F. Bocian**, Riverside, CA (US); **Jonathan S. Lindsey**, Raleigh, NC (US); **Zhiming Liu**, Riverside, CA (US); **Amir A. Yasseri**, Riverside, CA (US); **Robert S. Loewe**, Morrisville, NC (US)

(73) Assignee: **The Regents of the University of California**, Oakland, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 80 days.

(21) Appl. No.: **10/628,868**

(22) Filed: **Jul. 28, 2003**

(65) **Prior Publication Data**

US 2005/0019500 A1 Jan. 27, 2005

Related U.S. Application Data

(60) Provisional application No. 60/489,992, filed on Jul. 25, 2003.

(51) **Int. Cl.**⁷ **H01L 51/40**

(52) **U.S. Cl.** **438/99; 438/502; 257/40**

(58) **Field of Search** **257/40; 438/99, 438/502**

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,178,034 B1 * 1/2001 Allemand et al. 359/265
6,208,553 B1 3/2001 Gryko et al.
6,212,093 B1 4/2001 Lindsey
6,272,038 B1 8/2001 Clausen et al.
6,324,091 B1 11/2001 Gryko et al.

6,381,169 B1 4/2002 Bocian et al.
6,451,942 B1 9/2002 Li et al.
6,653,701 B1 * 11/2003 Yamazaki et al. 257/414
6,657,884 B2 12/2003 Bocian et al.
6,674,121 B2 1/2004 Misra et al.
6,728,129 B2 4/2004 Lindsey et al.
6,777,516 B2 8/2004 Li et al.
2003/0081463 A1 * 5/2003 Bocian et al. 365/200
2004/0120180 A1 * 6/2004 Rotenberg et al. 365/151
2004/0241584 A1 * 12/2004 Lindsey et al. 430/311

FOREIGN PATENT DOCUMENTS

WO WO0103126 A2 * 11/2001

OTHER PUBLICATIONS

Buriak et al., Lewis acid mediated functionalization of porous silicon with substituted alkenes and alkynes, *J. Am. Chem. Soc.*, 120 (Jan. 1998) 1339.*

(Continued)

Primary Examiner—Christian Wilson

(74) *Attorney, Agent, or Firm*—Quine Intellectual Property Law Group, PC; Tom Hunter

(57) **ABSTRACT**

This invention provides a new procedure for attaching molecules to semiconductor surfaces, in particular silicon. The molecules, which include, but are not limited to porphyrins and ferrocenes, have been previously shown to be attractive candidates for molecular-based information storage. The new attachment procedure is simple, can be completed in short times, requires minimal amounts of material, is compatible with diverse molecular functional groups, and in some instances affords unprecedented attachment motifs. These features greatly enhance the integration of the molecular materials into the processing steps that are needed to create hybrid molecular/semiconductor information storage devices.

42 Claims, 6 Drawing Sheets

